



VARDHMAN MAHAVEER OPEN UNIVERSITY, KOTA

Rawathbhata Road, Kota -324021

(Finance Office)

DETAILED E-TENDER NOTICE

“Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota”

(NIB No. 37 / 2025-26)

E tenders are invited from firms/agencies/contractors having registration in “S ” Class Contractors (Category S1 as per PWF&AR or equivalent) for Sanitary, Pipe fitting & plumbing work or in appropriate class of Civil work category (Minimum “D” class as per PWF&AR or equivalent) with any Engg. Govt. Deptt./ Govt. under taking for the work as follows:-

Name of Work	Estimated Cost	Bid Security (Rs.)	Tender Form Fees (Rs.)	Processing Fees (Rs.)	Date of Availability of Tender	Last Date of receiving of Drafts	Eligibility bid Opening Date	Contract Period
Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota	25.00 lacs	50000.00	1000/-	500/-	25/02/2026 1.00 PM to 06/03/2026 up to 5.00 PM	07/03/2026 up to 12:30 PM	07/03/2026 at 02:00 PM	12 Months

The detailed information for “Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota” has been given in the tender document which may either be downloaded from <http://www.eproc.rajasthan.gov.in> , www.sppp.rajasthan.gov.in or University website www.vmou.ac.in. Bidder can participate in the Tendering Process only Online using <http://www.eproc.rajasthan.gov.in> Website, Bidders should have a valid DSC before bidding.

Demand Draft for Tender Form fee will be in favour of “VardhmanMahaveer Open University” Payable at Kota

Demand Draft for Processing Fee will be in favour of “MD, RISL” Payable at Jaipur.

All Demand Drafts should Reach to O.I.C. (Estate), Vardhman Mahaveer Open University, Administration Building, Room No. 3, Rawatbhata Road, Kota-324021 sealed in an envelope titled “Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota” by 07/03/2026 up to 12:30 PM. failing which bid shall not be considered. Corrigendum if any, will be published on these websites only.

**O.I.C
(Estate)**

Tender Document



Name of work :-

Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota

Ref:- NIB NO:- 37/ 2025-26

Bid Submitted by

Name:- -----

Address:- -----

Contact No. :- -----

Email ID:- -----

पात्रता बिड में अपलोड की जाने वाली आवश्यक जानकारी

(NIB No. 37 / 2025-26)

1. कार्य का नाम : **Annual Repair & Maintenance work (CAMC) for sanitary system and water supply system of University campus at VMOU, Kota**
2. फर्म का नाम :
3. (अ) पूर्ण पता :
- (ब) दूरभाष एवं मोबाईल नम्बर :
4. Proprietor का नाम :
5. पात्रता बिड में निम्न दस्तावेज अपलोड करना आवश्यक है –
 - (a) फर्म के रजिस्ट्रेशन की प्रति :.....
(Copy of Registration with any Engg. govt. Deptt. /govt. Under taking in "S" Class Contractors for Sanitary, pipe fitting & plumbing work or in appropriate class of civil work category Minimum D Class as Per PWF& AR
 - (b) पैन नम्बर (प्रति संलग्न/अपलोड) करें :.....
 - (c) जी.एस.टी. पंजीयन की प्रति
 - (d) समस्त डिमाण्ड ड्राफ्ट की प्रति –
बिड शुल्क राशि रु. 1000/– का विवरण : बैंक का नाम.....
डी0डी0 सं..... दिनांक

प्रक्रिया शुल्क राशि रु. 500/– का विवरण : बैंक का नाम

डी0डी0 सं. दिनांक
बोली प्रतिभूति राशि रु. 50,000/– का विवरण : बैंक का नाम
डी0डी0 सं..... दिनांक- (e) कार्यानुभव – विगत 7 वर्षों (01.02.2019 से 01.01.2026) के दौरान समान प्रकृति अर्थात सेनेट्री संबंधी मरम्मत एवं अनुरक्षण कार्य का कार्यानुभव निम्नानुसार होना आवश्यक है :-
तीन कार्य प्रत्येक न्यूनतम राशि रु0 7,50,000/–
अथवा
दो कार्य प्रत्येक न्यूनतम राशि रु0 12,50,000/–
अथवा
एक कार्य न्यूनतम राशि रु0 20,00,000/–
(इस हेतु कार्य पूर्णता प्रमाण-पत्र / अनुभव प्रमाण-पत्र की आवश्यक रूप से अपलोड करें)
- (f) निविदा में दी गई General Terms and Conditions एवं Special Terms & Conditions पर सहमति बाबत हस्ताक्षर युक्त प्रति।
- (g) Annexure A,B,C&D की हस्ताक्षर युक्त प्रति।

स्थान :-

हस्ताक्षर निविदादाता :-

दिनांक :-

नाम :-

General Terms & Conditions

1. The quoted rates are valid for the one year w.e.f the date of work order. Contract period may be extended on mutual consent as per RTPP Rule 29.
2. Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their Bids to the site, the accommodation they may require, working conditions including space for stacking of material. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
3. Submission of a Bid by a bidder implies that he has read this notice and all other bid documents and has made himself aware of the scope and specifications of the works to be done and of conditions.
4. All rates shall be quoted online in Financial Bid (BOQ).
5. Financial bid of only those firms will be opened who will qualify in eligibility bid.
6. Unbalanced Bid प्राप्त होने पर सफल निविदादाता को राजस्थान लोक उपापन में पारदर्शिता नियम 2013 के नियम संख्या 75-A के अनुसार कार्यादेश जारी होने से पूर्व नियमानुसार Additional Performance Security जमा करवानी होगी।
7. यदि "एस" श्रेणी में पंजीकृत संवेदक एवं सिविल कार्य हेतु पंजीकृत संवेदक की समान दरें प्राप्त होती है तो "एस" श्रेणी में पंजीकृत संवेदक को प्राथमिकता प्रदान की जावेगी।
- 8- In the case of item rate tender only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected.
- 9- In the case of percentage rate only percentage above/below shall be quoted. Any item rate shall be rejected.
- 10- The persons so provided by the agency under this contract will not be the employee of the University and there will be no employer – employee relationship between the University and the person so engaged by the contractor in the aforesaid services.
- 11- Any damage due to mishandling of the installation, recovery shall be made from the contractors bill/Security Deposit.
- 12- The AMC can be terminated without assigning any reason thereof.
- 13- The contractor must intimate the addresses of his office and residence along with land and mobile phone numbers.
- 14- The contractor will have to make the regular payment to the workers engaged for the AMC works. In case of any complaint for non-payment of wages to the workers the authority has the sole rights to withhold the bill of the contractor until finalization.
- 15- For any accident/miss-happening at site with the workers engaged for the AMC will be the liability of the contractor.
- 16- In case of absence of any highly skilled or semi-skilled workers in any shift, recovery as per prevailing wages rate per person per shift will be made from the contractor bill.
- 17- The services provided should be disciplined in the premises of the University.
- 18- The services should be of adequate literary knowledge to cope up with the smooth operation of work.
- 19- The contractor shall not sublet the work.
- 20- TDS & other deductions will be deducted from the payments due for the work done as per rule.
- 21- The University reserves the right to discontinue the service at any time, if the services are found unsatisfactory by giving a show-cause to be replied within a week and also has the right to award the contract to any other agency at the risk and cost of current agency and excess expenditure incurred on account of this can be recovered from Security deposit or pending bills or by rising a separate claim.

O.I.C. (Estate)

.Special Terms & Conditions

1. All day to day sanitary supply and water supply maintenance and repairing work in University Campus shall be carried out as per schedule.
2. This contract being percentage rate contract & item rate contract. The contractor shall carry out the work at the rate quoted by him during the period of operations of contract and nothing extra over and above the quoted rates shall be payable to him.
3. The contractor shall use materials of approved make as per PWD, BSR specifications. For materials not covered in the said list. Approval shall be obtained from the Engineer-in-Charge in writing.
4. All emergent complaints or break down are to be attended and made functional immediately.
5. All the T&P and labor / technical input required to perform in time will be provided by the firm.
6. In case the workers engaged for AMC are not delivering the satisfactory performance, the contractor will have to replace him/them immediately; otherwise such persons will not be allowed to enter in our premises and will be treated as absent and shall be made as per agreement clause. Penalty shall be imposed to contractor if not replaced equal the amount payable per day to contractor.
7. All tools and tackles and general consumables required work will be arranged by the contractor at his own cost. Any loss or damage will be the contractor's responsibility.
8. Job completed should be in line with satisfaction of Engineer-in-charge.
9. On emergency the assigned jobs must have to be done on the same day.
10. If the contractor's performance is not found satisfactory, the contract may be terminated any time.
11. Sufficient safety measures shall have to be followed by the contractor and the contractor's workers during the execution of work. The University will not take any responsibility to any worker of the contractor's establishment of other person for any loss or otherwise.
12. One unfurnished covered space will be provided to the contractor for store purpose at free of cost (if required) throughout the contract period.
13. The contractor shall have to maintain adequate man power (skilled) throughout the period of contract of scope of work. Engagement of manpower on occasional requirement (major break down/fault/Maintenance) at morning and night shall be within the scope of contract. The contractor shall ensure availability of adequate manpower with requisite skill to take up the job under above scope promptly and complete them in optimum time; the contractor can be called during off hours at night, on Sunday and holiday to carry out work on emergency basis.
14. All Old / damaged / defective stored at designated place as per direction of EIC.
15. The contractor shall maintain area of work neat clean during execution of the job. Proper cleaning of the job site shall have to be ensured after completion of the job.
16. Payment of the items will be made on actual basis following the requirements mentioned against each item of schedule of work.

17. The contractor or his workers shall not misuse the premises allotted to them for any purpose other than for which the contract is awarded.
18. To make proper co-ordination Company/Agency authorities will visit the University campus minimum once in a month, so that discrepancies/irregularities related to matters may be directly conveyed to the Agency.
19. The University will not be responsible either to the Contractor or to its workers deployed at this Institute for any medical assistance/injuries/death or any kind of loss occurred.
20. The Contractor will follow minimum wages provision as per govt. norms.
21. Quoted rates should be inclusive of all Taxes & Expenses.
22. प्रथम अपील अधिकारी उच्च शिक्षा विभाग (ग्रुप-IV), राजस्थान सरकार एवं द्वितीय अपील अधिकारी शासन सचिव वित्त विभाग बजट, राजस्थान सरकार होंगे।
23. निविदा प्रस्तुत करने की अन्तिम तिथि एवं समय से पूर्व निविदा एवं निविदा किसी भी भाग या निविदा की शर्तों पर आपत्ति होने की दशा में आपत्ति मय औचित्य के प्रभारी अधिकारी, सम्पदा प्रकोष्ठ, वर्धमान महावीर खुला विश्वविद्यालय, कोटा को लिखित में प्रस्तुत करें जिसमें RTPP नियम 47 के अन्तर्गत कार्यवाही की जा सके।
24. विहित कार्य की अधिकतम अवधि 30 दिवस होगी तथा प्राप्त मांग के क्रम में अनुमोदित निविदा दाता को सम्पदा प्रभारी द्वारा लिखित/सूचित/Indent/ work slip प्रेषित की जाएगी जिसमें अवधि व कार्य उल्लेखित किया जाएगा जो अधिकतम 30 दिवस सीमा अध्याधीन होगा। कार्य पूर्णता: पर संबंधित मांगकर्ता / User / उपयोगकर्ता से कार्य प्रमाणित पश्चात् उक्त प्रकार समस्त Voucher / साक्ष्य दस्तावेज कार्य की पुष्टि के क्रम में सम्पदा अधिकारी से पुनः प्रमाणित होकर बिल में संलग्न किए जाएंगे। बिलम्ब पर नियमानुसार शास्ति लगायी जा सकेगी।
25. Extension in delivery period : In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentages of value of stores which the tenderer has failed to supply :-
- | | |
|--|------|
| (a) Delay upto one fourth period of the prescribed delivery period; | 2.5% |
| (b) Delay exceeding one fourth but not exceeding half of the prescribed delivery period; | 5% |
| (c) Delay exceeding half but not exceeding three fourth of the prescribed delivery period. | 7.5% |
| (d) Delay exceeding three fourth of the prescribed delivery period. | 10% |
- Note : Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day. The maximum amount of liquidated damages shall be 10%.
26. All other Terms & Condition are as per RTPP Rules' 2013 , P.W.F & A.R & as per G.F. & A.R. to be seen on F.D. website – www.financerajasthan.gov.in.

O.I.C (Estate)

I have read above General & special Terms & Conditions and agreed to abide by those.

Signature of Contractor

FINANCIAL- BID
(PART-A) G-SCHEDULE

S. No.	BSR Item No.	Description	Unit	Qty	Rate	Amount
1	1.1.2	P. & F Squatting Pan (Indian type) white glazed vitreous china 1st quality W.C. Pan (IS : 2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor (excluding the pair of foot rest.) Size 510 mm	Each	3	1069.00	3207.00
2	1.2.2	P & F Indian type white glazed vitreous china 1st quality W.C. orissa pan (IS :2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor. Size 580 x 440 mm.	Each	6	3080.00	18480.00
3	1.3	P & F European type white glazed vitreous china 1st quality W.C pan (IS : 2556 Mark) with P or S trap including cutting and making good the wall and floor	Each	10	2420.00	24200.00
4	1.4	P & F European type white glazed vitreous china 1st quality Double syphonic W.C (IS :2556 Mark) with P or S trap including cutting and making good the wall and floor	Each	6	5198.00	31188.00
5	1.7.2	P & F water closet Seat Covers with brass hinges complete : - do- White.	Each	20	485.00	9700.00
6	1.9	Labour charges for removing W.C. pan (any type) of all sizes with care including all necessary fittings P or S trap.	Each	10	286.00	2860.00
7	1.13	P & F White Vitreous China Double Syphonic European W.C. (I.S.:2556Mark) with mounted W.V.C. flushing cistern of (IS : 2556 Mark) of 10 litre capacity complete with all necessary internal fittings including cutting and making good the wall and floor.	Each	3	12114.00	36342.00
8	1.14	P & F 1st quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete.				
	1.14.1	Flat Back (small) size 456x355x265mm.	Each	5	1832.00	9160.00
	1.14.2	Flat Back (large) or half stall size 610x400x80mm.	Each	4	4637.00	18548.00
9	1.16.1	P&F Marble Urinal Partition slab both sides polished of approved design cut from marble size 900x600mm. Makrana II quality marble having light spots	Each	6	923.00	5538.00
10	1.19	LABOUR charges for removing and refixing of urinals (all type & sizes) including all necessary fittings.	Each	5	339.00	1695.00
11	122.2	P & F Flush Pipe of approved make with complete fittings for high level flushing cistern: G.I. 'B' class (Concealed) 32 mm.	Each	20	513.00	10260.00
12	1.28.1	P & F C.P. brass Urinal Flush Pipe set complete with flanged brackets of approved make. For 4 Urinals	Each	10	1331.00	13310.00
13	1.28.3	P & F C.P. brass Urinal Flush Pipe set complete with flanged brackets of approved make. For 2 Urinals	Each	10	736.00	7360.00
14	1.29.1	P & F C.P. brass Urinal Spreader for stall urinal of approved make.	Each	15	363.00	5445.00
15	1.30.1	P & F C.P. brass Doom Waste Coupling 32 mm dia.	Each	20	152.00	3040.00
16	1.33	Removing and re-fixing of wash hand basin including all necessary fittings.	Each	20	239.00	4780.00
17	1.34	P & F metal brackets duly painted including cutting & making good the wall.	Pair	20	165.00	3300.00
18	1.36	P & F WVC wash basin (1st quality, I.S. : 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS : 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.:				
	1.36.5	Size 610 mm x 510 mm	Each	15	3477.00	52155.00
	1.36.9	Size 630 mm x 500 mm dia for counter top	Each	5	3265.00	16325.00

19	1.36.10	Add extra for using 25mm GI waste pipe instead of PVC waste pipe	Each	10	90.00	900.00
20	1.38.3	P & F Kitchen & Lab. Sink of approved make with C.I. brackets duly painted, 40 mm C.P. waste coupling, C.P. Brass chain with rubber plug, 40 mm G.I. waste pipe up-to floor level complete including cutting and making good the wall & floor : WVC Lab sink (IS:2556 mark) size 530 x 430 x 180 mm	Each	4	2754.00	11016.00
21	1.38.9.3	P & F Kitchen & Lab. Sink of approved make with C.I. brackets duly painted, 40 mm C.P. waste coupling, C.P. Brass chain with rubber plug, 40 mm G.I. waste pipe up-to floor level complete including cutting and making good the wall & floor : 1.0 mm thick Salem stainless steel AISI -304 & IS 13983-1994 kitchen sink of approved make with large waste coupling. 24 x 18 x 8 Overall size (inches), 20x16x8 Bowl size (inches)	Each	5	5062.00	25310.00
22	1.39.2	P & F Drain Board of approved make with C.I. brackets duly painted complete including cutting & making good the wall: Mosaic fine polished size 600 x 450	Each	10	407.00	4070.00
23	1.40	P & F 1st quality WVC pedestal for wash basin.	Each	2	1444.00	2888.00
24	1.41.2	P & F Bottle Trap of approved make : C.P Brass 40 mm	Each	2	633.00	1266.00
25	1.42.4	P& F waste Coupling with fittings of approved quality /make:SS 125 mm	Each	36	305.00	10980.00
26	1.43.3	P& F waste Pipe with all fitting. P.V.C. with C.P. nut 40 mm dia	Each	20	157.00	3140.00
27	1.44.1	P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make complete with 6mm thick commercial ply base fixed to wooden screws & washers. Size 600 x 450mm x 4 mm thick	Each	24	575.00	13800.00
28	1.44.2	P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make complete with 6mm thick commercial ply base fixed to wooden screws & washers. Other sizes. Note :- For other quality mirrors from approved make mirrors deduct 30%	Sqm.	10	1538.00	15380.00
29	1.45.3	P & F Looking Mirrors with P.V.C. frame of approved make as per direction of engineer-in-charge. Round 500mm dia	Each	24	549.00	13176.00
30	1.46.5	P & F Toilet Shelf of approved quality/make: Acrylic shelf on C.P. brass casted brackets & guard rail of Commander or equivalent make size 550x125mm	Each	10	997.00	9970.00
31	1.46.6	P & F Toilet Shelf of approved quality/make: Glass Shelf with edges rounded off Anodised Aluminium angle frame & C.P. brass brackets & guard rail size 600x120mm	Each	10	361.00	3610.00
32	1.47.4	P & F Towel Rail or Ring of approved quality/make: C.P. brass towel rail with brackets 600 x 20mm.	Each	24	337.00	8088.00
33	1.47.8	P & F Towel Rail or Ring of approved quality/make: C.P. Brass Towel Ring revolving type	Each	24	254.00	6096.00
34	1.48.5	P & F Grating of approved quality/make : Square 150 x 150 x 8mm. (Anti Cockroach)	Each	20	358.00	7160.00
35	1.48.6	C.P. brass with frame (Heavy) & superior quality size 125mm dia.	Each	20	131.00	2620.00
36	1.49.1	P & F Liquid Soap Container with brackets complete of approved make: C.P. brass	Each	10	238.00	2380.00
37	1.50.2	P & F Tooth Paste & Brush Holder of approved quality/make:C.P. brass (Heavy and Superior quality).	Each	10	520.00	5200.00
38	1.51.2	P & F Toilet Paper Holder with rod of approved quality/make: C.P. brass heavy & Superior quality.	Each	10	602.00	6020.00
39	1.52.2	P & F Soap Dish or Tray of approved quality/make. C.P. brass heavy and superior quality.	Each	10	156.00	1560.00
40	1.53.2	P & F Twin- peg of approved quality / make. C.P. brass (heavy)Superior quality	Each	10	149.00	1490.00
41	1.54.3	P & F Shower arm 15mm dia of approved quality/make. C.P. brass (heavy)Superior quality Size 300 mm Projection.	Each	10	337.00	3370.00
42	1.56	P & F Extension Pipe for bib cocks of approved quality/make.				0.00

	1.56.2	P & F Extension Pipe for bib cocks of approved quality/make. 100 X 15mm.	Each	24	119.00	2856.00
	1.56.3	P & F Extension Pipe for bib cocks of approved quality/make. 150 X 15mm.	Each	24	168.00	4032.00
43	1.57	P & F Acrylic Toilet accessories set consisting of Towel rail, shelf, towel ring, soap dish, paste & brush holder & twin peg of approved quality/make.	Each	10	1179.00	11790.00
44	1.59	P & F Jet spray for water closet with C.P. Copper Tube flange of approved make.	Each	10	381.00	3810.00
45	1.60	Providing & fixing C.P.flange for 15mm dia taps.	Each	60	18.00	1080.00
46	1.61	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to code IS : 15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	Sqm	10	674.00	6740.00
47	1.62	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to code IS : 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	Sqm	10	748.00	7480.00
48	1.63	Extra for using Marble printed / Granite shade or dark shade tiles instead of white, grey, ivory, fume red brown, light green, light blue and other light shades in glazed tiles and MAT finished tiles. (10%)	Sqm	20	67.40	1348.00
49	1.64	Extra for using size above 200x300mm in glazed tiles and for using 400mm x 400mm MAT finished tiles in place of 300mm x 300mm size. (10%)	Sqm	20	74.80	1496.00
50	1.65	P & F C.P. Health Faucet with 1Mtr. Long Tube & Hook of approved make and heavy as per direction of Enginner-in-Charge	Each	20	605.00	12100.00
51	1.66	P & F C.P. brass Urinal Spreader for Large Urinal of heavy duty of approved make as per direction of Enginner-in-Charge	Each	20	617.00	12340.00
52	1.67	Removing & Re fixing of P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) complete as per direction of Enginner-in-Charge	Each	10	468.00	4680.00
53	1.68.3	Providing & Fixing Premium Quality white glazed vitreous china Sanitary Wares (IS:2556 Mark) of approved make as per direction of Engineer-in-charge including cutting and making good the wall and floor. Wall Mounting European type W.C.	Each	1	9072.00	9072.00
54	1.69.1	Providing & Fixing premium quality WVC Urinal with PVC waste pipe, dome couplings, concealed iron brackets or screws etc. complete. Flat Back (small) size 440x265x315 mm.	Each	3	2619.00	7857.00
55	1.69.2	Flat Back (large) or half stall size 590x375x390 mm.	Each	5	6246.00	31230.00
56	1.71.2	Providing & Fixing premium quality WVC Wash basin with C.I. brackets duly painted & 32 mm C.P. brass waste coupling of approved make with PVC waste pipe complete. Size 550 mm x 400 mm dia for counter top	Each	6	3372.00	20232.00
57	1.72	P & F Premium quality water closet Seat Covers with brass hinges complete Solid PVC (ISI marked) grade-I White for EWC.	Each	6	714.00	4284.00
58	1.73	P & F Premium quality Low level Flushing Cistern of 10 litres capacity (IS:2556 mark) of approved make as per Engineer-in-charge with complete fittings C.I. brackets duly painted, brass ball cock with ball, (IS:1703 mark) complete including cutting and making good the wall :	Each	12	1823.00	21876.00
59	1.74	P&F Looking Mirror 5mm thick of approved make with ornamental frame size 50x12 with 6mm Ply Board on Back Side Complete as per approved sample	Sqm	30	2544.00	76320.00
60	1.75	Supply of Hydraulic Seat Cover for European WC of superior quality approved make in white Colour	Each	6	4057.00	24342.00
61	1.76	Providing & Fixing chair for wall hung W.C.	Each	6	1604.00	9624.00

62	1.77	Providing & Fixing Concealed cistern with Floor mounting frame and flush plate of superior quality and approved sample by Engineer-in-charge.	Each	2	8187.00	16374.00
63	1.78	Providing and fixing new spindle for Bib cock/pillar cock for repairing purpose to solve leakage and proper functioning of tap.	Each	20	114.00	2280.00
64	1.79	Providing & Fixing premium quality Toilet corner Glass Shelf size 225x225mm with C.P. brass brackets & guard rail edges rounded of SS frame	Each	6	1562.00	9372.00
65	1.80	Providing & Fixing premium quality waste coupling 32mm half thread as per approved by Engineer in Charge.	Each	5	519.00	2595.00
66	1.81	Providing & Fixing Premium quality Bottle trap internal portion 32mm, size 250mm long wall connection pipe & wall flange as per approved by Engineer in Charge.	Each	2	1599.00	3198.00
67	2.1	P & F G.I. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors:				
	(a)	Exposed on wall				
	2.1.1	15 mm dia nominal bore 'B' Class	Mtr.	25	230.00	5750.00
	2.1.3	25mm dia nominal bore 'B' Class	Mtr.	30	360.00	10800.00
	2.1.4	32mm dia nominal bore 'B' Class	Mtr.	25	436.00	10900.00
	2.1.6	50mm dia nominal bore 'B' Class	Mtr.	15	673.00	10095.00
	(b)	Concealed pipe in wall including painting with anticorrosive bitumen paint				
	2.1.9	15 mm dia nominal bore 'B' Class	Mtr.	20	242.00	4840.00
	2.1.11.2	25mm dia nominal bore 'B' Class	Mtr.	30	429.00	12870.00
68	2.2	P & F G.I. Pipes (External Work) with G.I. fittings excluding union (IS : 1239 Mark) including trenching & refilling earth etc.				0.00
	2.2.1	15mm dia nominal bore 'B' Class	Mtr.	25	190.00	4750.00
	2.2.2	20mm dia nominal bore 'B' Class	Mtr.	5	222.00	1110.00
	2.2.3	25mm dia nominal bore 'B' Class	Mtr.	50	278.00	13900.00
	2.2.4	32mm dia nominal bore 'B' Class	Mtr.	50	342.00	17100.00
	2.2.6	50mm dia nominal bore 'B' Class	Mtr.	50	491.00	24550.00
	2.2.7	65mm dia nominal bore 'B' Class	Mtr.	10	622.00	6220.00
	2.2.8	80mm dia nominal bore 'B' Class	Mtr.	15	772.00	11580.00
69	2.3	Making connection of G.I. distribution branch with G.I. main including all fitting.				
	2.3.1	Upto 25mm dia	Each	10	265.00	2650.00
	2.3.2	Beyond 25mm & upto 100mm dia	Each	6	389.00	2334.00
70	2.6	P & F Pillar Cocks (IS :8934 Mark) of superior quality and approved make:				
	2.6.1	C.P. Pillar cock, 15 mm dia nominal bore	Each	8	779.00	6232.00
	2.6.3	C.P. Pillar cock fancy type ,15mm nominal bore.	Each	2	914.00	1828.00
71	2.6	P & F Pillar Cocks (IS :8931 : 1993 Mark) of superior quality and approved make:				
	2.6.5	C.P. Pillar cock, high-neck, 15 mm nominal bore.	Each	2	779.00	1558.00
	2.6.6	Synthetic Material (PTMT) Pillar cock of approved quality / make 15mm nominal bore.	Each	2	388.00	776.00
72	2.7	P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make:				
	2.7.1	Brass 400 gm,15mm nominal bore.	Each	2	298.00	596.00

	2.7.2	P.V.C.heavy duty, 15mm nominal bore.	Each	3	106.00	318.00
	2.7.3	C.P. Brass bib cock,15mm nominal bore.	Each	3	590.00	1770.00
	2.7.4	C.P. Brass Long body, 15mm nominal bore weight not less than 690 gm	Each	3	783.00	2349.00
	2.7.8	Synthetic Material(PTMT) bib cock of approved quality/ make, nominal bore, Fancy Type 122 mm long.	Each	3	232.00	696.00
	2.7.9	Synthetic Material(PTMT) bib cock of approved quality/ make, nominal bore, Long body, 175 mm long.	Each	3	295.00	885.00
73	2.8	P & F Stop Cock (IS :8931 Mark), superior quality & of approved make: Brass 400 gm. 15mm nominal bore.				
	2.8.1	Brass 400 gm. 15mm nominal bore.	Each	3	319.00	957.00
	2.8.2	Brass 750 gm. 20 mm nominal bore.	Each	3	460.00	1380.00
	2.8.3	Brass 1350gm. 25 mm nominal bore.	Each	3	729.00	2187.00
	2.8.5	C.P. Brass Concealed Stop Cock 15mm.	Each	3	1009.00	3027.00
	2.8.6	Synthetic material (PTMT) stop cock of approved quality/make 15mm.	Each	3	231.00	693.00
74	2.9.1	P & F Sink Cocks of superior quality & approved made : C.P. Sink cock swinging spout 15mm.	Each	2	977.00	1954.00
75	2..10.1	P & F Push Cock superior quality, of approved make C.P. Brass 15 mm.	Each	2	370.00	740.00
76	2.10.2	P & F Push Cock superior quality, of approved make Synthetic MATERIAL (PTMT) push cock of approved quality/make 15mm.	Each	12	205.00	2460.00
77	2.11.2	P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete : Brass wt.Not less than 400 gm, 20mm.	Each	2	372.00	744.00
78	2.11.3	P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete : Brass wt.Not less than 600 gm, 25mm.	Each	2	440.00	880.00
79	2.12	P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash basin, Gysar etc.				
	2.12.1	C.P. Inlet connection 15mm.Brass (IS : 8931 marked)	Each	6	501.00	3006.00
	2.12.2	C.P. Inlet connection with 37 cm long pipe and nut.	Each	6	590.00	3540.00
	2.12.3	C.P. Inlet connection with 37 cm long thread and nut	Each	6	626.00	3756.00
80	2.13	P & F 15 mm. Dia Connection Pipe of approved quality/make :				
	2.13.1	PVC pipe with C.P. Brass nuts upto length, 300mm	Each	6	73.00	438.00
	2.13.2	PVC pipe with C.P. Brass nuts upto length, 370mm	Each	12	79.00	948.00
	2.13.3	PVC pipe with C.P. Brass nuts upto length, 450mm	Each	6	101.00	606.00
	2.13.4	PVC pipe with C.P. Brass nuts upto length, 600mm	Each	6	116.00	696.00
81	2.14	P & F Flush Cock / Flush Valve (IS : 9758 Mark) for WC of approved quality make :				
	2.14.1	CP brass push type 15mm nominal bore.	Each	5	358.00	1790.00
	2.14.3	C.P. brass exposed 25mm nominal bore.	Each	3	961.00	2883.00
	2.14.7	C.P. Brass Half-turn exposed 25mm nominal bore.	Each	3	783.00	2349.00
	2.14.8	C.P. Brass Concealed 25mm nominal bore.	Each	3	902.00	2706.00
	2.14.9	Brass / Gun metal Half-turn wt. 1 Kg. of approved quality / make, 25mm nominal bore.	Each	2	551.00	1102.00
	2.14.10	CP Brass flush valve 32mm nominal bore	Each	1	1993.00	1993.00

82	2.15	P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make.				
	2.15.1	Gun-metal 15mm nominal bore.	Each	24	227.00	5448.00
	2.15.2	Gun-metal 20mm nominal bore.	Each	8	358.00	2864.00
	2.15.3	Gun-metal 25mm nominal bore.	Each	25	529.00	13225.00
	2.15.4	Gun-metal 32mm nominal bore.	Each	4	703.00	2812.00
	2.15.5	Gun-metal 40mm nominal bore.	Each	4	1074.00	4296.00
	2.15.6	Gun-metal 50mm nominal bore.	Each	2	1464.00	2928.00
	2.15.7	Gun-metal 65mm nominal bore.	Each	2	1783.00	3566.00
83	2.19.1	P & F Chromium plated Swan-neck LABORatory Cock of approved quality / make: One way	Each	1	384.00	384.00
84	2.20.1	P & F Spouts of superior quality and approved make: C.P. brass spout	Each	2	662.00	1324.00
85	2.21	P & F Mixing Range (15mm)				
	2.21.1	C.P. One hole/close hole basin mixer with casted spout.	Each	2	1740.00	3480.00
	2.21.10	C.P. Surgical basin mixer elbow action with shower (wall type)	Each	1	4580.00	4580.00
86	2.26	P & F PVC Storage Tank ISI Marked (IS : 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design:				
	2.26.2	300 litres capacity.	Each	3	2352.00	7056.00
	2.26.3	500 litres capacity.	Each	6	3920.00	23520.00
	2.26.5	1000 litres capacity.	Each	1	7841.00	7841.00
87	2.27.1	Hoisting Charges for each floor : For items 2.26.1 to 2.26.4	Each	6	110.00	660.00
88	2.27.2	Hoisting Charges for each floor : For items 2.26.5 to 2.26.8	Each	6	157.00	942.00
89	2.32	Supply & fixing G.I. Union ISI marked in G.I. pipe line as required complete in all respect of size :				
	2.32.1	15mm dia nominal bore	Each	3	101.00	303.00
	2.32.2	20mm dia nominal bore	Each	3	140.00	420.00
	2.32.3	25mm dia nominal bore	Each	3	164.00	492.00
	2.32.4	32mm dia nominal bore	Each	3	242.00	726.00
	2.32.5	40mm dia nominal bore	Each	3	306.00	918.00
	2.32.6	50mm dia nominal bore	Each	3	463.00	1389.00
	2.32.7	65mm dia nominal bore	Each	3	902.00	2706.00
	2.32.8	80mm dia nominal bore	Each	3	1041.00	3123.00
90	2.33	Providing and fixing Superior quality (Jaguar Contiental) CP Brass fittings complete as per direction of Eengineer-In-Charge.				
	2.33.1	Pillar Cock 15 mm nominal size	Each	2	823.00	1646.00
	2.33.2	Swan neck pillar cock 15 mm nominal size	Each	2	1580.00	3160.00
	2.33.3	Bib Cock with long thread 15 mm nominal size	Each	2	823.00	1646.00
	2.33.4	Long body Bib Cock 15 mm nominal size	Each	2	1084.00	2168.00

	2.33.5	Two way Bib Cock 15 mm nominal size	Each	2	1174.00	2348.00
	2.33.11	Single lever wash basin mixer with 450 mm long copper connection pipe	Each	2	4659.00	9318.00
	2.33.12	Central hole basin mixer	Each	2	2698.00	5396.00
	2.33.14	600 mm long towel rail	Each	2	1801.00	3602.00
	2.33.15	Revolving type towel ring	Each	2	1101.00	2202.00
	2.33.16	Soap dish	Each	2	1071.00	2142.00
	2.33.17	Double coat hook	Each	2	823.00	1646.00
	2.33.18	190 mm rain shower	Each	2	5583.00	11166.00
	2.33.19	Shower arm	Each	2	1210.00	2420.00
	2.33.20	Paper holder	Each	2	1125.00	2250.00
	2.33.21	Hand shower with 8 mm dia 1 mt long PVC tube & wall hook complete	Each	2	1832.00	3664.00
	2.33.22	Health Facet (Premium heavy Quality) as approved by Engineer-in-charge	Each	3	950.00	2850.00
	2.33.23	Jet Spray (Premium heavy Quality) as approved by Engineer-in-Charge	Each	3	600.00	1800.00
91	2.34	Providing and fixing 3-layer PP-R (Polypropylene random copolymer) pipes SDR 7.4 UV stabilized and antimicrobial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded Polypropylene random fittings and fixing the pipe with clamps at 1.00 spacing. This includes testing of joint complete as per direction of Engineer - in charge.(INTERNAL WORK- EXPOSED ON WALL) PN-16 Pipe, 16 mm OD				
	2.34.1	PN-16 Pipe, 16 mm OD	Rm	100	173.00	17300.00
	2.34.2	PN-16 Pipe, 20 mm OD	Rm	100	198.00	19800.00
	2.34.3	PN-16 Pipe, 25 mm OD	Rm	200	284.00	56800.00
	2.34.4	PN-16 Pipe, 32 mm OD	Rm	50	397.00	19850.00
92	2.35	Providing and fixing 3-layer PP-R (Polypropylene random copolymer) pipes SDR 7.4 UV stabilized and antimicrobial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded Polypropylene random fittings and fixing the pipe with clamps at 1.00 spacing. This includes cost of cutting chases and making good the same including testing of joint complete as per direction of Engineer - in charge.(CONCELED WORK INCLUDING CUTTING CHASES AND MAKING GOOD THE WALL ETC.)				
	2.35.1	PN-16 Pipe, 16 mm OD	Rm	50	237.00	11850.00
	2.35.2	PN-16 Pipe, 20 mm OD	Rm	50	265.00	13250.00
93	2.36	Providing and fixing 3-layer PP-R (Polypropylene random copolymer) pipes SDR 7.4 UV stabilized and antimicrobial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded Polypropylene random fittings including trenching, refilling and testing of joint complete as per direction of Engineer - in charge. (EXTERNAL WORKS)				
	2.36.1	PN-16 Pipe, 16 mm OD	Rm	50	156.00	7800.00
	2.36.2	PN-16 Pipe, 20 mm OD	Rm	50	185.00	9250.00
	2.36.3	PN-16 Pipe, 25 mm OD	Rm	100	262.00	26200.00

	2.36.4	PN-16 Pipe, 32 mm OD	Rm	100	376.00	37600.00
	2.36.5	PN-16 Pipe, 40 mm OD	Rm	10	528.00	5280.00
	2.36.6	PN-16 Pipe, 50 mm OD	Rm	10	681.00	6810.00
94	2.37	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes(IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall)				
	2.37.1	15 mm nominal size	Rm	10	191.00	1910.00
	2.37.2	20mm nominal size	Rm	50	222.00	11100.00
	2.37.3	25 mm nominal size	Rm	50	282.00	14100.00
	2.37.4	32mm nominal size	Rm	25	369.00	9225.00
95	2.38	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes(IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.)				
	2.38.1	15 mm nominal size	Rm	15	279.00	4185.00
	2.38.2	20mm nominal size	Rm	25	289.00	7225.00
	2.38.3	25 mm nominal size	Rm	100	376.00	37600.00
96	2.39	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes,(IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, this included jointing of pipes & fittings with one step CPVC solvent cement , trenching refilling & testing of joints complete as per direction of Engineer in Charge. (External work).				
	2.39.1	15 mm nominal size	Rm	10	167.00	1670.00
	2.39.2	20mm nominal size	Rm	50	196.00	9800.00
	2.39.3	25 mm nominal size	Rm	100	262.00	26200.00
	2.39.4	32mm nominal outer dia pipes	Rm	20	343.00	6860.00
	2.39.5	40 mm nominal size	Rm	10	471.00	4710.00
	2.39.6	50 mm nominal size	Rm	10	757.00	7570.00
97	2.40	Providing and fixing Premium quality Towel rack 600mm long 260mm wide with lower hangers CP Brass fittings of approved make as per direction of Engineer-in-charge	Each	1	3089.00	3089.00
98	2.41	Labour Charges for Removing & Refixing the water Storage Tank of all sizes and including all Necessary fitting complete in all respect as per approved sample and direction of engineer in charge.	Each	6	369.00	2214.00
99	2.42	Providing and fixing premium quality Angular stop cock with wall flange complete as per sample approved by Engineer in charge	Each	2	1572.00	3144.00
100	2.43	Providing and fixing premium quality Two way Bib cock with wall flange complete as per sample approved by Engineer in charge	Each	3	2335.00	7005.00
101	2.44	Providing and fixing superior quality PVC Tank Cover complete as per approved by Engineer In Charge.				
	2.44.1	300 Lt. capacity	Each	6	186.00	1116.00

	2.44.2	500 Lt. capacity	Each	24	201.00	4824.00
	2.44.3	Above 500 Lt. capacity	Each	24	216.00	5184.00
102	2.45	Providing & fixing C.I. Saddle pieces 100mm dia with nut & bolt & washer & Rubber Gasket complete as per direction of engineer in charge	Each	24	196.00	4704.00
103	2.46	Supply and installation of Premium quality sluice valve 100mm dia including all fittings as per approved by Engineer in charge.	Each	1	5042.00	5042.00
104	2.47	Providing Laying Jointing DI Pipe (Ductile iron pipe) of 100 mm dia ISI marked K-7 grade as per IS : 5329-2000 with internal cement mortar lining for potable water with rubber ring (EPDM/SBR) Joints per IS : 5382-1985 complete including Hydraulic testing & commissioning as per Technical Specification.	Mtr	10	1088.00	10880.00
105	2.48	P&F sluice valve of approved code IS 14846 : 2000 make.				
	2.48.1	100 mm dia nominal bore	Each	1	10175.00	10175.00
	2.48.2	75 mm dia nominal bore	Each	1	9625.00	9625.00
106	2.49	P&F Divertors in water supply lines for walls, wash basin etc	Each	1	10450.00	10450.00
107	2.50	P & F of Water Spout Superior Quality of approve make.	Each	1	1870.00	1870.00
108	3.5.1	P & F Square-mouth gully trap `A` grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonry chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 150 X 100mm, ferrow cement cover with frame, Internal Chamber size 300 X 300mm.	Each	2	1150.00	2300.00
109	3.7.1	LABOUR charges for Removing S.W. pipes including breaking of joints & bed concrete, stacking of useful MATERIAL at site within 50 mtr. Lead and disposal of unserviceable MATERIAL within 0.5 Km. lead: 100 & 150mm dia pipe	Mtr.	10	23.00	230.00
110	3.8.2	Providing, Laying & Jointing R.C.C. class NP-2 Non-Pressure pipes (IS : 458mark) of approved make with collars, jointed with C.M. 1:2 or having Spigot and socket ends with flexible rubber rings joint including testing of joints etc. complete : 150mm dia Internal	Mtr.	2	600.00	1200.00
111	3.8.5	Providing, Laying & Jointing R.C.C. class NP-2 Non-Pressure pipes (IS : 458mark) of approved make with collars, jointed with C.M. 1:2 or having Spigot and socket ends with flexible rubber rings joint including testing of joints etc. complete : 300mm dia Internal	Mtr.	15	991.00	14865.00
112	3.9.3	P & F Sand-cast Iron (S.C.I.) Pipe (IS : 1729mark) of approved make in wall or in floor with M.S. holder bat clamps in 10 X 10 X 10 Cm. M-15 grade concrete blocks, joints filled with CM 1:4 with spun yarn including cutting holes and making good the wall: 100mm dia	Mtr.	10	1228.00	12280.00
113	3.10.2	Add extra for Lead caulked joints (IS:782-1978) in sand cast iron pipes/spun- 100mm dia, 0.98 Kg. Pig lead	Each	5	349.00	1745.00
114	3.11	P &F S.C.I. Fittings (IS : 1729 mark) in CM 1:4 with spun yarn.				
	3.11.2	75 mm w/o door (ii) Socket	Each	10	376.00	3760.00
115	3.14	LABOUR charges for making connection of sewer line through main hole.	Each	10	649.00	6490.00
116	3.16.2	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 75 mm dia	Mtr	50	177.00	8850.00
117	3.16.5	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. Providing & Laying C.C. 1:3:6 (Stone Agreegate 20mm nominal size) all around PVC Pipe including 7.5 cm thick bed concerte [Width & Height = Dia of Pipe in CM+15CM] excluding cost of Pipe & Excavation of trenches etc.				

	3.16.5.1	PVC pipe 110 mm dia	Mtr	10	325.00	3250.00
	3.16.5.2	PVC pipe 160 mm dia	Mtr	50	425.00	21250.00
118	3.17	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:				
	3.17.1	Coupler (socket)				
	(i)	75mm dia	Each	6	87.00	522.00
	(ii)	110mm dia	Each	12	108.00	1296.00
	(iii)	160 mm dia	Each	6	119.00	714.00
	3.17.2	Reducer 110 X 75 mm				
	(ii)	110mm dia	Each	12	97.00	1164.00
	3.17.3	Plain Tee				0.00
	(i)	75mm dia	Each	3	114.00	342.00
	(ii)	110mm dia	Each	12	187.00	2244.00
	(iii)	160 mm dia	Each	1	205.00	205.00
	3.17.4	Door Tee				0.00
	(ii)	110mm dia	Each	1	213.00	213.00
	3.17.8	Bend 45				0.00
	(ii)	110mm dia	Each	12	128.00	1536.00
	3.17.9	Bend 87.5				0.00
	(i)	75mm dia	Each	6	97.00	582.00
	(ii)	110mm dia	Each	30	161.00	4830.00
	(iii)	160 mm dia	Each	2	177.00	354.00
	3.17.10	Door Bend (Top Side)				0.00
	(ii)	110mm dia	Each	6	154.00	924.00
	3.17.13	Socket plug				0.00
	(i)	75mm dia	Each	2	68.00	136.00
	(ii)	110mm dia	Each	2	81.00	162.00
	(iii)	160 mm dia	Each	2	101.00	202.00
	3.17.15	Pipe Clip				0.00
	(i)	75mm dia	Each	6	24.00	144.00
	(ii)	110mm dia	Each	25	36.00	900.00
	3.17.23	P- Trap				
		110 mm dia	Each	2	382.00	764.00
	3.17.24	Q- Trap				
		110 mm dia	Each	2	428.00	856.00

	3.17.27	Gully trap				
		110 mm dia	Each	2	561.00	1122.00
119	3.18.1	Raising manhole cover and frames slab to required level including dismantling existing slab and making good the damage as required (raising depth of manhole masonry to be paid separately). Rectangular manhole 90x60 cm	Each	3	972.00	2916.00
120	3.19.1	Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5 10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead.Depth up to 0.5 M	Each	5	5489.00	27445.00
121	3.19.3	Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5 10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead.Deduct in Item No 3.20.1 for manhole with brick work 230 mm thick in place of 300 mm thick stone masonry	Each	2	1042.00	2084.00
122	3.20.1	Construction of Man hole, in all types of soil, inner size 1.5 x 1.2 M, with 450mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20mm thick inside plaster in CM 1:6, finished with floating neat cement, 50 mm thick M-15 grade C.C. flooring making channels, 80 mm thick stone slab covering with 40 mm thick M-15 grade C.C. flooring, Ferro Cement cover with frame of 450mm dia, earthwork etc. complete including disposal of surplus earth within 50 mtr. lead as per design : Depth up to 1.5 M	Each	2	20016.00	40032.00
123	3.20.2	Construction of Man hole, in all types of soil, inner size 1.5 x 1.2 M, with 450mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20mm thick inside plaster in CM 1:6, finished with floating neat cement, 50 mm thick M-15 grade C.C. flooring making channels, 80 mm thick stone slab covering with 40 mm thick M-15 grade C.C. flooring, Ferro Cement cover with frame of 450mm dia, earthwork etc. complete including disposal of surplus earth within 50 mtr. lead as per design :Add extra over item 3.22.1 for every additional 0.10m depth above 1.5 m depth .	Each	6	703.00	4218.00
124	3.21	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m 10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring , earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr.				
	3.21.1	Inside size 300 X 300 mm depth upto 0.5 M Cement cover with frame.	Each	12	1049.00	12588.00
	3.21.2	size 450 x 450mm depth upto 0.5 M Cement cover with frame	Each	10	2332.00	23320.00
	3.21.3	size 600 x 450mm depth upto 0.5 M Cement cover with frame.	Each	10	3299.00	32990.00
125	3.22.1	Construction of soakage well in all type of soil with 300 mm thick dry masonry, top and bottom 300 mm course in CM 1:6, 80mm thick stone slab, jointing of slab in CM 1 : 3, Ralthal, Kharanja, 40 mm thick M-15 grade C.C flooring , earthwork complete as per approved drawing including disposal of earth within a lead of 50 mtr.: Size 300 Cm. dia outside & 300 Cm. depth .	Each	1	24135.00	24135.00
126	3.23.1	Construction of soakage Trench in all types of soil with 300 mm thick dry stone masonry, 80 mm thick stone slab covering, jointing of slab in CM 1:3 Ralthal, Kharanja, 40 mm thick M-15grade C.C. flooring earthwork etc. complete as per approved drawing including disposal of earth within a lead of 50 Mtr.: Top width 180Cm., bottom width 90Cm. & depth 240Cm.	Mtr.	25	6149.00	153725.00

127	3.27	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C floor & RCC slab covering with M15 grade c.c. floor, 50 mm thick stone slab partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos stone foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:-				
	3.27.1	Size 200x100x130 cm.(for 10 users)	Each	1	27322.00	27322.00
	3.27.2	Size 230 x110 x150 cm.(for 20 users)	Each	3	38499.00	115497.00
	3.27.3	Size 400 x140x150 cm.(for 50 users)	Each		59860.00	0.00
128	3.28	Emptying of Septic tank ,Soakage well etc. by disposing or sludge upto 5 Km. lead & taking out sewage including cleaning of site.	Cum	25	286.00	7150.00
129	3.31	Supplying and fixing C.I. Cover with frame, C.I. gratings for chambers & man holes.	Kg.	10	72.00	720.00
130	3.33	Supplying & Fixing R.C.C. Manholes covers with frame of approved make (Light duty).				
	3.33.2	Size 450mm dia	Each	1	292.00	292.00
	3.33.5	Size 600 X 450mm	Each	1	421.00	421.00
	3.33.6	Size 450 X 450mm	Each	1	319.00	319.00
	3.33.7	Size 300 X 300mm	Each	1	99.00	99.00
131	3.39	Construction of Cement Concrete Chamber 125mm dia on depressed floor upto 45cm height from floor with :				
	3.39.1	C.P. Brass grating	Each	1	237.00	237.00
	3.39.2	C.P. doom grating	Each	1	263.00	263.00
	3.39.3	C.I. Grating	Each	1	218.00	218.00
	3.39.4	Stainless Steel Sheet Grating	Each	1	237.00	237.00
132	3.44	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes Type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make.				
	3.44.1	75 mm dia	Mtr.	25	167.00	4175.00
	3.44.2	110 mm dia	Mtr.	100	336.00	33600.00
133	3.45	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make				0.00
	3.45.1	Coupler				
	(i)	75mm dia	Each	10	72.00	720.00
	(ii)	110mm dia	Each	12	108.00	1296.00
	3.45.2	Repair Coupler				0.00
	(i)	75mm dia	Each	6	76.00	456.00
	(ii)	110mm dia	Each	12	124.00	1488.00
	3.45.3	Single Push Fit Coupler				0.00
	(i)	75mm dia	Each	6	73.00	438.00
	(ii)	110mm dia	Each	12	127.00	1524.00
	3.45.4	Bend 87.5 Dg.				0.00
	(i)	75mm dia	Each	6	94.00	564.00
	(ii)	110mm dia	Each	15	155.00	2325.00

3.45.5	Bend 45 Dg.					0.00
(i)	75mm dia	Each	3	78.00		234.00
(ii)	110mm dia	Each	12	132.00		1584.00
3.45.6	Door Bend 87.5 Dg. 110mm dia	Each	3	193.00		579.00
3.45.11	Socket Plug					0.00
(i)	75mm dia	Each	3	62.00		186.00
(ii)	110mm dia	Each	3	76.00		228.00
3.45.12	Pipe Clip					0.00
(i)	75mm dia	Each	5	18.00		90.00
(ii)	110mm dia	Each	25	31.00		775.00
3.45.13	Double tee with Door					0.00
(i)	75mm dia	Each	3	334.00		1002.00
(ii)	110mm dia	Each	3	572.00		1716.00
3.45.14	W.C. Connector					
(ii)	110mm dia	Each	2	216.00		432.00
3.45.15	W.C. Connector (Bend) with ring 110mm dia	Each	8	226.00		1808.00
3.45.16	Single Tee					0.00
(i)	75mm dia	Each	3	120.00		360.00
(ii)	110mm dia	Each	6	210.00		1260.00
3.45.17	Single Tee with Door					0.00
(i)	75mm dia	Each	3	136.00		408.00
(ii)	110mm dia	Each	3	242.00		726.00
3.45.18	Double Tee (4 Ways)					0.00
(i)	75mm dia	Each	1	212.00		212.00
(ii)	110mm dia	Each	1	367.00		367.00
3.45.19	Multi floor trap 110mm dia	Each	1	241.00		241.00
3.45.20	Offset 110mm dia	Each	6	282.00		1692.00
3.45.21	Extra Square Jali 110mm dia	Each	3	37.00		111.00
3.45.22	Extra Round Jali 110mm dia	Each	3	26.00		78.00
3.45.23	Extra 4 SWR Ring					0.00
(i)	75mm dia	Each	3	14.00		42.00
(ii)	110mm dia	Each	3	17.00		51.00
3.45.24	Gully Trap 110mm dia	Each	1	685.00		685.00
3.45.25	Nahni Trap with Jali 4" 110mm dia	Each	6	171.00		1026.00
3.45.29	Vent Cowel 75 mm	Each	2	48.00		96.00
3.45.30	Vent Cowel 110mm dia	Each	3	59.00		177.00

134	3.48	Cleaning of sewer line of various sizes as per requirement at site of different sizes including 100mm,150mm & 225mm dia of Stoneware pipe as per direction of Engineer-in-Charge.	Rmt	25	117.00	2925.00
135	3.49	Cleaning of C.I. Pipe Line of various size as per requirement at site of different sizes including 100mm,150mm & 225mm dia of C.I.Pipes as per direction of Engineer-in-Charge.	Rmt	20	73.00	1460.00
136	3.50.	Repairing of Cement Concrete Chambers of different size as per requirement at site and as per direction of Engineer-in-charge.	Each	10	61.00	610.00
137	3.53	Mechanised Cleaning of sewer line of diameter upto 200mm with the help of trolley mounted electrical driven machine having flexible steel springs of length 20ft. Each which are rotated with the help of electric motor and clutch assembly.	mtr	20	154.00	3080.00
138	3.54	Mechanised sewer line Cleaning upto diameter 100mm with the help of PU coated glass fibre rod mounted on a wheel with brush attachment.	mtr	3	107.00	321.00
139	3.55	Mechanised Cleaning and desilting of manhole/sewer line chambers With the help of mechanical bucket which gets open and close through levers.				
	3.55.1	Depth upto 0.5 mtr.	Each	3	98.00	294.00
	3.55.2	Depth upto 1.0 mtr.	Each	2	182.00	364.00
	3.55.3	Depth upto 2.0 mtr.	Each	3	339.00	1017.00
140	3.57	P&F circular air tight composite resin (FRP) manhole cover without frame of approved brand with grade designation C-250 HD as per EN-124 standard. Manhole cover shall have top abstant layer conforming to IS-15658 : 2006 and permissible of 2/3 test load in five continous application as per EN- 124, the testing shall be performed in test (2% of lot size) as per testing procedure state in EN-124 standard including fixing in existing manhole frame etc. complete in all respect as directed by engineer in charge. (i) Internal dia 0.56m	Each	1	11679.00	11679.00
141	4.11	Installation of submersible motor pump set in Tube-well/open well complete (labour charges only) including transportation of tripod, chain pulley block & any other material required for lowering purpose.	Each	2	3727.00	7454.00
142	4.22	Un-lowering of submersible pump set with all piping from a tube-well/ open-well complete (labour charge only) including transportation of tripod, chain, pulley-block and other materials required and lowering of repaired/ new pump in the tube-well / open-well complete in all respect.	Each Job.	2	4659.00	9318.00
143	4.21	Providing & lowering of G.I. Pipes, flange pipe including rubber washer and nuts of 8 mm dia complete in all respect I.S.1239 Marked.				
	4.21.1	B Class 50 mm dia.	R. Mtr.	60	498.00	29880.00
	4.21.2	B Class 80 mm dia.	R. Mtr.	60	721.00	43260.00
145	4.8.4	S & F tube well cover of M.S.sheet (6mm thick) with nuts and bolts complete for casing size: 200 mm dia.	Each	2	373.00	746.00
146	4.9	S & F M.S. clamp, set of 50 ×6mm flat iron with nuts and bolts etc. for holding the riser pipe assembly of submersible pump set.	Each	4	266.00	1064.00
		TOTAL Rs.				2297661.00

Terms & Conditions :-

- 1- Conditional Tender shall not be accepted.
- 2- The Rates are based on PWD BSR for Building works-2022.
- 3- In case of any typographical error or mistake in print the above B.S.R. shall be binding and final.

O.I.C (ESTATE)

I / We here by agree to execute the above work at the following rate :-

Our Rates are% (above / below / at par on Part-A "G" SCHEDULE) in figure

Our Rates are% (above / below / at par on Part-A "G" SCHEDULE) in words

Note. :- Strike out below, above or at par whichever is not applicable. If the same is not done, the lower offer will be considered for acceptance.

Signature of Contractor

PART-B (H-SCHEDULE)

S.No.	Item	Qty	Unit	Rate to be quoted by contractor	Amount
1	<p>Operation, repairs & MAINTENANCE (involving labour only) of existing external & internal sanitary and water supply system for various buildings of the entire university campus etc. except providing & fixing of material, which shall be paid separately as per boq -1. The scope of work includes following--</p> <p>1. Operation of Existing external & internal water supply system for various buildings of the entire university campus through out the year like filling of PVC WATER tanks placed over terrace of buildings & under ground water tanks to give uninterrupted daily water supply to the buildings & outside buildings for gardening work. Also operation of tube well as and when required by the University.</p> <p>2. Including repairs which are not requiring any involvement of material like repair of loose connections, pipe line air problems & other works as per direction of engineer in charge.</p> <p>3. All repair included in the item. All such expenses will be borne by the Contractor at his own cost.</p> <p>4. Contractor shall arrange at his cost to regulate water supply on day to day basis regularly as per instructions of Engineer-In charge. A register shall be maintained at University office and complaint lodged must be attended by contractor within 24 hours, The person deputed by contractor shall attend the University office daily and comply the instructions and attend complaints regularly.</p> <p>5. University shall not be responsible for any kind of accident during execution of work.</p> <p>6. Contractor will be responsible for arrangement of all T&P required for the work.</p>	12	Per Month		
	Total Rs.				

I / We agree to execute the above work at rates quoted above. Quoted rates shall be in conjunction of enclosed special terms & conditions, agreement and annexure A to D and these will be part of agreement & quoted rates shall be inclusive of GST and other applicable taxes by the Govt. Conditional tenders will not be accepted.

Signature of Contractor

Annexure –A

Compliance with the code of integrity and no conflict of interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process.
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness, and progress of the procurement process.
- (d) Not misuse any information shared between the procuring entity and the Bidders with intent to gain unfair advantage in the procurement process.
- (e) Not indulge in any correction including impairing or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process.
- (f) Not obstruct any investigation or audit of a procurement process.
- (g) Disclose conflict of interest, if any, and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must have a conflict of interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligation, or compliance with applicable laws and regulations.

A Bidder may be considered to be in conflict of interest with one or more parties in a bidding process if, including but not limited to;

- a. Have Controlling partners/shareholders in common; or
- b. Receive or have received any direct or indirect subsidy from any of them; or
- c. Have the same legal representative for purpose of the bid; or
- d. Have the relationship with each other, directly or through common third parties, that puts them in a position to have access have to information about or influence on the bid of another Bidder, or influence the decision of the procuring entity the bidding process; or
- e. The Bidder participates in more than one bid in a bidding process. Participation by a Bidder in more than one bid will result in the disqualification of all Bids in which the Bidder is involved. However this does not limit the inclusion of the same subcontractor, not otherwise participating as Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical Specification of the goods, works or service that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring entity as engineer-in-charge /consultant for the contract.

Place :

Date

Signature of the Bidder with seal

Annexure –B

Declaration by the Bidder regarding qualifications

In relation to my/our Bid submitted to UOK for procurement of **“Annual Rate contract for Repair & maintenance work of Sanitary system and water supply system of University campus at Vardhman Mahaveer Open University, Kota.”** in response to their Notice Inviting Bid No. **37 /2025-26**. I/We hereby declare under section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the union and the State Government or any local authority as specification in the Bidding Document;
3. I/We have are not insolvent in receivership, bankrupt or being wound up, not have my/our affairs administrated by a court or a judicial officer , not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directions and officers not have, been convicted of any criminal offence related to my/our professional conducted or the making of false statement or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceeding;
5. I/We do not have a conflict of interest as specification in the Act, Rules and the bidding document, which material affects fair competition;

Date:

Place:

Signature of bidder with seal

Grievance Redressal during procurement process

The designation and the address of the first appellate authority is Hon'ble V.C. VMOU, Kota.

The designation and the address of second Appellate Authority is Additional Chief Secretary (Higher Education, Govt. Rajasthan)

(1) Filing an appeal

If any bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the act or the rules or the Guidelines issued there under, he may file an appeal to first Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Providing that after the declaration of a bidder as successful the appeal may be filled only by a bidder who has participated in procurement proceeding:

Providing further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filled only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filled under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the Procuring Entity, as the case may be, may file a second appeal to second Appellate Authority specified in the Bidder Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the first Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of Procurement
- (b) Provisions limiting participating of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process ;
- (e) Applicability of the provisions of confidentiality

(5) Form of appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payments of fee.
- (c) Every appeal may be presented to first Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for Filling Appeal

- (a) Fee for first appeal shall be two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

- (a) The first Appellate Authority or Second Appellate, as the case may be upon filing of appeal, shall issued notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date of fix hearing, the First Appellate Authority or second Appellate Authority , as the case may be-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents , relevant records or copies thereof relating th the matter
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Signature of the Bidder with seal

Additional conditions of contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, that Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quality, the unit price shall prevail and the total price shall be corrected, unless in the opinion in the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is a error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accepted the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Deceleration shall be executed.

2. Procuring Entity's Right to vary Quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit price or other terms & conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (iii) In case of Procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Service Provider fail to do so, the Procurement Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Service Provider.

3. Dividing quantities among one than more Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured for the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and visit nature, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Signature of the Bidder with seal